

Declaration of performance

Number 808976901

1. Unique identification code of the product-type:

EN 442-2:2014 Annex G, picture G3

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

Acova Kazeane KZ-120-050

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

metallic radiators and convectors installed in a permanent manner in construction works, fed with water or steam at temperatures below 95 °C, supplied by a remote heat source

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Zehnder Group Boleslawiec Sp. z o.o.

ul. Modlowa 5

PL- 59-700 Boleslawiec

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

None

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3

7. The declaration of performance concerning a construction product covered by a harmonised standard (system 3) :

HLK Stuttgart GmbH, Pfaffenwaldring 6A, DE-70569 Stuttgart

has assessed and evaluated the product under system 3 and issued the following report:

0626-CPR-17.50.ZEP.094

(description of the third party tasks as set out in Annex V)

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

(name and identification number of the Technical Assessment Body, if relevant)

Issued: Not relevant

(reference number of the European Assessment Document)

on the basis of: Not relevant,

(reference number of the European Technical Assessment)

performed Not relevant under system Not relevant

(description of the third party tasks as set out in Annex V)

and issued: Not relevant

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

9. Declared performance

Harmonized technical specification according to EN 442-1:2014

Essential characteristics	Performance
Reaction to fire	A1
Release of dangerous substances	None
Maximal operating pressure (MOP)	400 kPa
Pressure tightness	no leakage at 1,30 x MOP
Resistance to pressure	no breakage at 1,69 x MOP
Surface temperature maximum	95 °C
Rated thermal outputs	1:φ30 = 271W 2:φ50 = 509 W
Thermal output in different operating conditions (characteristic curve)	$\varphi = 4.02 \times \Delta T_t^{1.24}$
Resistance against corrosion	no corrosion after 100 h humidity
Resistance against minor impact	Class 0

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Zehnder Group Bolesławiec Sp. z o.o.



Piotr Kościsz

General Manager

Bolesławiec, 14.06.2018